

20L PX Standalone Water from Air AWG

20 Liters/5.28 Gallons Per Day

Residential Unit



pan**L**bilt GLOBAL

www.PanLbilt.com

Low Humidity Water from Air AWG

20 Liter /5.28 Gal Residential

Features and Benefits

- ⇒ Produces Fresh Drinking water that meets or exceeds World Health Organization (WHO) standards
- ⇒ Plugs into in-house On-Grid electrical outlets
- ⇒ Can be powered via Off-Grid solar energy
- ⇒ Easy user-friendly installation of replacement filters
- ⇒ Uses Green technology that eliminates plastic bottles
- ⇒ Mitigates transportation costs; fresh drinking water is produced *on-site* solely from the atmosphere
- ⇒ Eliminates dependence upon municipal infrastructure and health risks from degraded pipes subject to lead or bacteria
- ⇒ Greatly reduces cost of liters/gallons
- ⇒ Enables Rapid Return on Investment (ROI) of Capital Costs

pan**L**bilt GLOBAL

www.PanLbilt.com

Low Humidity Water from Air AWG

20 Liter /5.28 Gal Residential

Technical Specifications

Power: **110V/60 cycles US, 230V/50 cycles European**

Power Consumption: **1250 W per hour/ 30 kW per day**

Rated Current: **3.5 Amps**

Working Temperature: **15° C/59° F to 38° C/100° F**

Relative Humidity 35% to 95%: **20 Liters/5.28 Gallons per day**

Full Water Quantity: **5.5 L/1.45 Gal**

Air Circulation: **450 m³/hr.**

Control Type: **Electronic**

Status Indicator: **Buker full signal light**

Recommended room size: **50 m²/538 SF**

Noise: **≤60dB**

Refrigerant Charge: **R410A**

Dimensions: **16.9"/42.9cm L x 15.75"/40cm W x 42.9"/108.97cm H**

Weight: **70 kg/155 lbs**

Units per 40-foot Container: **240**

panL**bilt** GLOBAL

www.PanLbilt.com