

# Water from Air 70L/18.49 Gal PX Split Industrial Unit

pan**L**bilt

Restaurants

Offices

Schools

Clinics

Hotels

Manufacturing



- Features **Water Unit & Dehumidifier**
- For use where air conditioner is operational
  - Power Failure Indicator
  - Child lock feature to ensure safety
  - Hot & Cold Water Options
  - Touch Screen Control & Indicators

# **PanLbilt Water from Air 70 Liter /18.49 Gal Per Day Self-Generating Fresh Water AWG Industrial Units**

## **Features and Benefits**


- ⇒ **Produces Fresh Drinking water that meets or exceeds World Heath Organization (WHO) standards**
- ⇒ **Plugs into On-Grid electrical outlets**
- ⇒ **Can be powered via Off-Grid solar energy**
- ⇒ **Easy user-friendly installation of replacement filters**
- ⇒ **Uses Green technology that eliminates plastic bottles**
- ⇒ **Mitigates transportation costs; fresh drinking water is produced *on-site* solely from the atmosphere**
- ⇒ **No Delivery cost associated with 5 Gallon Plastic Water Jugs**
- ⇒ **Eliminates dependence upon municipal infrastructure and health risks from degraded pipes subject to lead or bacteria**
- ⇒ **Greatly reduces cost of liters/gallons**
- ⇒ **Enables Rapid Return on Investment (ROI) of Capital Costs**
- ⇒ **Subscription-based Annual Replacement Filter Kits**

# Water from Air AWG

70 Liter /18.49 Gal *4th Generation* Industrial Units

## Filtration Process Flowchart

Flowchart (Split Type)



# 70L Split Unit

## SPRECIFICATIONS

<b>Power Supply</b>	<b>AC220V/50Hz, 110V/60Hz</b>
<b>Water Unit</b>	<b>Hot Water 5L/Hour, Cold Water 3.5L/Hour</b> <b>Hot Tank: 1.5L, Heating Power 500W</b> <b>Cold Water Tank: 2L</b> <b>Cooling power: 80W –98W</b> <b>Top Storage Tank: 11L with UV</b> <b>Bottom Storage Tank: 25L with UV</b> <b>Collection Tank: 2L with UV Light</b>
<b>Compressor</b>	<b>Water Unit: Huayi, R134a, 3 Year Warranty</b> <b>Dehumidifier: R410a</b>
<b>Materials</b>	<b>Drawing Water Tank Stainless Steel 304</b>
<b>Water Capacity</b>	<b>70L/Day at 86°F/30°C, 80% Relative Humidity</b>
<b>Air Circulation</b>	<b>850m3/Hour</b>
<b>Working Conditions</b>	<b>Temperature: 41°F/5°C to 100.4°F/38°C</b> <b>Humidity 28% - 95%</b>
<b>Product Size</b>	<b>Water Unit 17.71” L x 11.81” W x 45.43 “H</b> <b>450mm L x300mm W x 1154mm H</b> <b>Dehumidifier 18.11” L x 11.89” W x 27.95 “H</b> <b>460mm L x302mm W x 710mm H</b>
<b>Net Weight/Gross Weight</b>	<b>Water Unit 17.0Kg/37.47lbs 18.0Kg/39.68lbs</b> <b>Dehumidifier 27.0Kg/59.52lbs 30.0Kg/66.14lbs</b>
<b>Filtration System</b>	<b>PP+Pre-Carbon+UF+Post-Carbon</b>
<b>Container Packing 40’</b>	<b>120 Units</b>

# Contact

**Raphael Levy**

**raphael@PanLbilt.com**

**310-720-7226**



**[www.PanLbilt.com](http://www.PanLbilt.com)**